

PEARL INSTALLATION INSTRUCTIONS

CODE# 3413 & 4515

Rated Voltage 220-240V~ 50Hz

Thank you for purchasing this quality Zebbies product. To ensure correct function and safety, please read and follow all instructions carefully before assembly, installation and use of this product. Please keep instructions for future reference.


Installation requirements

- Must be installed by a licensed electrician.
- All wiring and installation of the light fitting must adhere to local and national wiring rules.
- Select a suitable location for installation;
 - This product is suitable for indoor use only.
 - The mounting point must support 2 times the weight of the fitting.
 - Ensure the fitting is not installed in direct line of an air vent/system.
 - When installing a fitting in an area prone to moisture, ensure that the area is well ventilated and an appropriately rated exhaust fan is used if required. Damage or corrosion caused by moisture is not a product fault, and as such is not covered under warranty.
- The fitting must not be used if the diffuser on the LED light module has been damaged or cracked.
- Take care not to pull any electrical wires during unpacking as this may damage the connection.
- Lay out all the components on a smooth surface and make sure there are no components missing before assembling. If parts are missing, return the complete product to the place of purchase for inspection or replacement.
- Check whether the fitting has been damaged during transport. Do not operate/install any product which appears damaged in any way. Return the complete product to the place of purchase for inspection, repair or replacement.
- Ensure power to the circuit you are working on has been switched OFF before commencing any electrical work.


Installation directions

1. Remove all packaging material from the product and be careful not to throw away accessories that maybe hidden within the packaging material. To help with assembly, lay the fitting on its side on a smooth non scratch surface.
2. Remove the mounting bracket from the canopy by loosening the screws on both sides. Use the mounting bracket as a template to mark the screw positions on the ceiling. Install the mounting bracket (2) onto the ceiling by using appropriately sized mounting screws (3) and anchor (1). Ensure the screws and anchors used are suitable for the mounting surface and the surrounding environment.
3. Connect the mains supply wire to the terminal block (4). Ensure the wires are secure and no bare wires are exposed.

Mains Supply Wire

- Earth – Yellow/Green
- Neutral – Blue or Black
- Live – Brown or Red


Fitting Wire

- Yellow/Green or
- Blue
- Brown

4. Install the fitting onto the mounting bracket and secure by the screws (5) on both sides.
5. Refer to the drawing and hang the decorative glass beads strings(6), (7), (8) & (9) to the matching position.
6. Install the glass shade (10) onto the fitting by three flat screws (11).
7. After the installation, switch on the fitting to test all the lighting functions and enjoy your new lighting product.

Installation Instructions

CAUTION: The light source of lamp can not be replaced, please replace a whole new lamp if the light source is broken.



Installation Instructions

Safety tips

- Always ensure the power is OFF and the fitting has cooled down before performing any maintenance, cleaning or making any adjustment to the fitting.
- To avoid injury or damage to the fitting, ensure that power leads and screws are secure before connecting the power.
- Select a suitable location away from liquids and hazards.
- Ensure that the fitting does not come in contact with corrosive chemicals, etc.
- To clean, wipe with a damp clean cloth. Never soak the fitting with water.

Specifications		
CODE#	4515	3413
Finish/Colour	Chrome	Champagne gold
Rated Voltage	220-240V~ 50Hz	
Rated Wattage	7W	
LED specs	600 lumens, 4000K, Non-dimmable	
Weight	0.995kg	
Dimensions	DIA.130mm H:150mm Suspension: 1200mm	