

# Installation Instructions

## RIO 1LT PENDANT

CODE#3421 & 3429

Rated Voltage 220-240V~ 50Hz

Thank you for purchasing this quality product. To ensure correct function and safety, please read and follow all instructions carefully before assembly, installation and use. Please keep the instructions for future reference.

### Installation requirements

- Must be installed by a licensed electrician.
- All wiring and installation of the light fitting must adhere to local and national wiring rules.
- Do not exceed the maximum wattage rating.
- Select a suitable location for installation;
  - This product is suitable for indoor use only.
  - The mounting point must support 2 times the weight of the fitting.
  - Ensure the fitting is not installed next to any air vents and is not in any moist or damp areas.
- Take care not to pull any electrical wires during unpacking as this may damage the connection.
- Lay out all the components on a smooth surface and make sure there are no components missing before assembling. If parts are missing, return the complete product to the place of purchase for inspection or replacement.
- Check whether the fitting has been damaged during transport. Do not operate/install any product which appears damaged in any way. Return the complete product to the place of purchase for inspection, repair or replacement.
- Ensure power to the circuit you are working on has been switched OFF before commencing any electrical work.

### Installation directions

1. Remove all packaging material from the product and be careful not to throw away accessories that may be hidden within the packaging material.
2. Insert the plastic anchors (1) to the ceiling according to the holes on mounting bracket.
3. Install the mounting bracket (3) onto the ceiling by using appropriately sized mounting screws (2) and anchors (1). Ensure the screws and anchors used are suitable for the mounting surface.
4. Connect the mains supply wire to the terminal block (4).

#### Mains Supply Wire

Earth – Yellow/Green

Neutral – Blue or Black

Live – Brown or Red


#### Fitting Wire

Yellow/Green 

Blue

Brown

5. Ensure the wires are secure and no bare wires are exposed.
6. Fix the canopy to the mounting bracket (3) by using the screws (5) until tight.
7. Install the shade (6) onto the lampholder and secure using the socket ring (7).
8. Install a globe (8, not included) into the lamp holder. Do not exceed the maximum wattage rating.
9. After the installation, switch on the fitting to test and enjoy your new lighting product.



# Installation Instructions

## Safety tips

- Always ensure the power is OFF and the product has cooled down before performing any maintenance, cleaning, or adjustment to the product.
- To avoid injury or damage to the product, ensure that power leads and screws are secure before connecting the power.
- Handle the product and/or shade with care to avoid any damage or breakage.
- Select a suitable location away from water and hazards.
- Ensure that the product does not come into contact with corrosive chemicals, etc.
- To clean wipe with a dry cloth. Never soak the product with water.

## Specifications

Code#	3421	3429
Colour/Finish	Matt black	Matt white
Rated Voltage	220-240V~, 50Hz	
Rated Wattage	1 x 60W or LED 10W	
Lamp Holder	ES/E27	
Weight	0.35kgs	
Dimensions	Dia.:250mm    H:230mm Suspension: 1800mm	